

# Optima Mechanics Glove



FPRMX1



## GENERAL DESCRIPTION

The Force Performance Range (FPR) from Force360 have been designed and developed in Australia and incorporates the latest technologies and materials in their construction. The FPRMX1 Optima is the original premium mechanics glove and offers outstanding fit and superior comfort.

## KEY TECHNOLOGY



## ADDITIONAL FEATURES

- ▶ Reinforced double stitching for increased durability
- ▶ Personal ID area to record wearers name or issue date

## CONSTRUCTION MATERIALS

- ▶ 56% Synthetic Leather
- ▶ 30% 4-Way Spandex
- ▶ 3% Impact Foam
- ▶ 4% Hook & Loop
- ▶ 7% Lycra

## STANDARDS & CERTIFICATION

Many gloves in the market today claim compliance to EN388 and show a mechanical score symbol. However with many glove brands sourcing from multiple factories, inconsistencies can occur and such compliance claims may not always be able to be validated. Ultimately this may put the glove wearer at risk.

Force360 source their entire FPR gloves from a single manufacturing partner to ensure consistency and reliability of product. Force360 have recognized the weakness of compliance claims and have engaged SAI Global to certify their products and manufacturing facilities for complete peace of mind.

Force360 FPR gloves are certified by SAI Global to Australian Standards AS/NZS 2161.2:2005 (EN420), AS/NZS 2161.3:2005 (EN388) Mechanical Performance. Mechanical risk is the risk caused by abrasion, blade cut, tear and puncture to the wearer of the glove. A tested item is given a performance rating of 1 to 4 (lowest to highest) on some or all of the listed categories. The 'blade cut resistance' test is an exception as it measures from 1 to 5.

For Certified Australian Standard protection, only wear gloves with the Red Tick Tower.

## USES

- ▶ Gardening
- ▶ DIY
- ▶ Construction and mining
- ▶ Maintenance
- ▶ Shipping
- ▶ Logistics and warehousing
- ▶ Automotive

## PART NUMBER SIZES

GFPFPMX1 S, M, L, XL, XXL

## GLOVE CARE

Machine Wash < 40°C  
Cold Water Rinse  
Dryer < 60°C

## PACKAGING

1 pair per hang cell  
12 pair per inner pk  
72 pair per ctn

For test certificate or further information please contact [techinfo@force360.com.au](mailto:techinfo@force360.com.au). To request a sample or representative visit please contact [sales@force360.com.au](mailto:sales@force360.com.au)



Australian Standard AS/NZS 2161.2:2005 2161.3:2005 Lic.SMK40376



© 2015 Private Brands Pty Ltd. [force360.com.au](http://force360.com.au)